

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 1 of 7

Print Date: 2019-09-26 23:43

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Brown Sugar

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance
33306 Glendale St.
Livonia, MI 48150 USA
734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled
Aquatic Acute Toxicity, Category 3	H402 : Harmful to aquatic life

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled
---------------------------------------	---------------------------

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [] ACGIH [X] IARC [] NTP [X] OSHA [X]

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H316	Causes mild skin irritation

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 2 of 7

Print Date: 2019-09-26 23:43

H317 May cause an allergic skin reaction
H332 Harmful if inhaled
H402 Harmful to aquatic life

Precautionary Statements

Prevention:

P271 Use only outdoors or in a well-ventilated area
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 + P340 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2 <i>Diethyl phthalate</i>	201-550-6	10 - 20 %	H316; H402
121-32-4 <i>3-Ethoxy-4-hydroxybenzaldehyde</i>	204-464-7	5 - 10 %	H303; H320; H402
80-71-7 <i>Methylcyclopentenolone</i>	201-303-2	2 - 5 %	H303; H401
91-64-5 <i>Coumarin</i>	202-086-7	2 - 5 %	H302; H317; H402

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 3 of 7

Print Date: 2019-09-26 23:43

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 4 of 7

Print Date: 2019-09-26 23:43

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

84-66-2 *Diethyl phthalate*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			5

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Amber Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0840
%VOC:	0.08
Specific Gravity @ 25 C:	1.0140
Density @ 25 C:	1.0110
Refractive Index @ 20 C:	1.4970
Soluble in:	Oil

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 5 of 7

Print Date: 2019-09-26 23:43

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4901.9607) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 12.6986) Harmful if inhaled
Skin corrosion / irritation	Harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Harmful to aquatic life
Chronic aquatic toxicity	Not classified - the classification criteria are not met
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 6 of 7

Print Date: 2019-09-26 23:43

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	No	Class	Pack Group	Sub Risk	UN-nr.
Regulator					
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
IATA (Air Cargo)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
IMDG (Sea)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

6422-86-2 229-176-9 70 - 80 % Dioctyl Tere Phthalate (DOTP)

84-66-2 201-550-6 10 - 20 % Diethyl phthalate

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

117-81-7 204-211-0 70 - 80 % Diethyl Hexyl Phthalate

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed

H320 : Causes eye irritation

H401 : Toxic to aquatic life

Total Fractional Values

(TFV) Risk

(TFV) Risk

(2.25) Aquatic Acute Toxicity, Category 3

(2.25) Sensitization, Skin, Category 1B

(1.57) Acute Toxicity Inhalation, Category 4

(1.17) Skin Corrosion/Irritation, Category 3

(1.02) Acute Toxicity Oral, Category 5

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-09 00:00

Product: **Brown Sugar**

Product#:

SKU#: **bsug**

Page 7 of 7

Print Date: 2019-09-26 23:43

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.