

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 1 of 7
2018-12-05

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Comfort

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance
33306 Glendale St.
Livonia, MI 48150
734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation. 16 : Causes eye irritation.
Acute Oral	3 : May be harmful if swallowed .
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 2 of 7
2018-12-05

Signal Word: Warning

Hazard statements

H303 May be harmful if swallowed
H316 Causes mild skin irritation
H317 May cause an allergic skin reaction
H333 May be harmful if inhaled
H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse
P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
104-61-0 <i>gamma-Nonalactone</i>	203-219-1	2 - 5 %	H316	12, 15
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
78-70-6 <i>Linalool</i>	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	12, 26
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	1 - 2 %	H316; H400; H410	11, 15
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401; H412	11, 15, 26, 28, 3, 31, 39

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**

Product#:

SKU#: **com**

Page 3 of 7

2018-12-05

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
19870-74-7 <i>Cedrol methyl ether</i>	243-384-7	0.1 - 1.0 %	H317; H400; H410	15
58567-11-6 <i>Formaldehyde cyclododecyl ethyl acetal</i>	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	12
91-64-5 <i>Coumarin</i>	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
68647-72-3 <i>Limonene</i>	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.58

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 4 of 7
2018-12-05

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid
Odor: Conforms to Standard
Color: Colorless - Yellow Tint (G0-1)
Viscosity: Liquid
Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined
Flashpoint (CCCFP): >200 F (93.33 C)
Auto flammability: Not determined
Explosive Properties: None Expected

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 5 of 7
2018-12-05

Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0088
%VOC:	1.3125
Specific Gravity @ 25 C:	0.9320
Density @ 25 C:	0.9290
Refractive Index @ 20 C:	1.4550
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,832.23) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 6,662.75) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 169.70) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 6 of 7
2018-12-05

Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
IATA (Air Cargo) Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
IMDG (Sea) Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
123-35-3(NF 204-622-5 <= 81 ppm beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 102.00% of the components are listed or exempt.

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 43400.714993.12112285

Product: **Comfort**
Product#:
SKU#: **com**

Page 7 of 7
2018-12-05

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H361 : Suspected of damaging fertility or the unborn child	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.74) Skin Corrosion/Irritation, Category 3	(60.00) Sensitization, Skin, Category 1B
(2.06) Aquatic Chronic Toxicity, Category 2	

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.